

## **Code / Acceptance Requirement**

- 1 1 Acceptance Sample per 4 Tons
- 2 1 Acceptance Sample per 2 Tons
- 3 1 Acceptance Sample per 1 Tons
- 4 1 Acceptance Sample per 500 Tons
- 5 1 Acceptance Sample per 1500 Tons . (Frequency Determined per Constr. Manual 9-3.7 for HMA Quantities betw
- 6 Certificate of Compliance per CM 9-1.4E
- 7 WSDOT Fabrication Field Inspection Required per CM 9-4.78
- 8 Acceptance per 9-4.76 of Const. Manual
- 9 Acceptance per 9-4.84 of Const. Manual (APPROVED FOR SHIPMENT Stamp/Tag)
- 10 Acceptance per 9-1.1A of Const. Manual (Small Quantities Acceptance) or Visual Inspection per Std. Spec. 5-04
- 11 Acceptance per 9-4.44 of Const. Manual
- 12 Acceptance per 9-1.1A of Const. Manual (Small Quantities Acceptance) or Certificate of Compliance per Stnd. :
- 13 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance)
- 14 Manufacturer's Cert. of Compliance per 1-06.3 or Catalog Cut per CM 9-1.4G
- 15 Acceptance per 9-4.48 of Const. Manual
- 16 Satisfactory Testing per Contract Special Provisions
- 17 Acceptance per 9-1.1A of Const. Manual (Small Quantities Acceptance) or 9-3.7 of Const. Manual depending or
- 18 Acceptance per 9-1.1A of Const. Manual (Small Quantities Acceptance)
- 19 If New Materials Required, Acceptance per Applicable Contract Special Provisions
- 20 Satisfactory Test Report from State Materials Lab. Submit Assembled Sample, Mfr's Cert. of Compliance, and T
- 21 Document conformance to the requirements of NCHRP 350 or the AASHTO Manual for Assessing Safety Hardw
- 22 'APPROVED FOR SHIPMENT' Tag/Stamp, Mfr. Cert. or Visual Acceptance per option used (See Const. Manual 9-4
- 23 Acceptance per 9-4.38 of Const. Manual
- 24 Certified Test Report
- 25 Proprietary Source and Mfr. Cert. of Compliance Per Std. Spec. 1-06.3
- 26 Catalog Cut Per Const. Man. 9-1.4G
- 27 Document conformity to weed control plan
- 28 'APPROVED FOR SHIPMENT' Tag/Stamp or FIELD INSPECTION PER 9-4.66 of Const. Manual
- 29 Supplier's Certificate of Compliance per Contract Special Provisions
- 30 Acceptance per 9-4.36 of Const. Manual
- 31 Mill Test Report Number or Cement Certificate of Analysis
- 32 See Current Qualified Products List
- 33 1 Acceptance sample per 800 tons
- 34 Manufacturer's Certification of Compliance and Certificate of Materials Origin
- 35 Two 6 Foot Samples with Mfr's Cert. of Compliance and Cert. Mill Test Reports, Satisfactory Test Report from Sta
- 36 Shop Drawings & 'APPROVED FOR SHIPMENT' Tag/Stamp
- 37 Supplier's Certificate of Compliance Stating System is NCHRP 350 Test Level 3 or Mash TL3 Compliant
- 38 Manufacturer's Certificate of Compliance per Contract Special Provisions Incl. Copy of FHWA Eligibility/Accepta
- 39 Shotcrete Production Testing per Std. Spec. 6-18.3(3) - Including Test Panels & Satisfactory Cores.
- 40 Mfr. Certs., Mill Cert., Shop Dwgs., & Nondestructive Test Reports per CM 9-4.66
- 41 Manufacturer's Quality Check List signed by Region Electrical Inspector
- 42 1 Sample Per Lot & Mfr. Cert. per Stnd. Spec. 1-06.3
- 43 1 Sample for every other mix sample and Supplier's Cert. of Compliance Incorporated Into Bill of Lading per 9-0:

44 Supplier's Certificate of Compliance & a copy of the FHWA acceptance letter  
 45 Percent & type Noted on Supplier's Cert  
 46 Catalog Cut per Const. Man. 9-1.4G or Mfr. Cert. of Compliance per Std. Spec. 1-06  
 47 Mfr. Mill Test Report Submitted with Mix Design  
 48 Approval Per Railroad Agreement  
 49 Project Engineer Acceptance Determination Required  
 50 Satisfactory test reports for Compressive Strength Once per Bridge Pier or 1 per Shift.  
 51 Acceptance per 9-4.24 of const. manual  
 52 Acceptance per 9-4.25 of Const. Manual  
 53 Satisfactory test reports for Compressive Strength Once per Bridge Pier or 1 per Shift & Visual Acceptance per C  
 54 See Current Qualified Products List and as Specified in the Approved Powder Coating Plan  
 55 Verification of "FABRICATION APPROVED" decal  
 56 Visual Acceptance per CM 9-1.4C & Confirmation of Standard Specs Blending Ratio  
 57 "WSDOT-A" Stamp per 9-4.20 of Const. Manual and an "F" or "D" Stamp for Foreign or Domestic Steel Origin  
 58 Visual Acceptance per Section 9-1.4C and inspected for condition, reflectivity and conformance to the appropri  
 59 'APPROVED FOR SHIPMENT' Tag/Stamp and an "F" or "D" Stamp for Foreign or D  
 60 Documentation Verifying Material is "As Recommended" by Mfr.  
 61 Approved Shop Drawings per Stnd. Spec. 1-05.3  
 62 Mfr. Cert. per Stnd. Spec. 1-06.3 for Each Lot  
 63 Mfr. Certificate of Compliance per Stnd. Spec. 1-06.3  
 64 Concrete Pipe Acceptance Report, Mfr. Cert. or Visual Acceptance per option used  
 65 Concrete Pipe Acceptance Report  
 66 Selected from Current WSDOT QPL and Acceptance per QPL  
 67 Satisfactory test report from State Materials Laboratory for each lot. See CM 9-1.4A(1) - Reference Test Reports,  
 68 Mfr's Cert of Compliance and MSDS per Contract Special Provisions  
 69 Visual Accept. from Approved Source  
 70 Documentation Verifying Compatibility with Sheet Membrane per Mfr's Recommendations  
 71 Mfr. Certificate of Compliance per CM 9-1.4D  
 72 Mfr. Cert. per Stnd. Spec. 1-06.3 for Each Heat Number or Manufacturing Lot  
 73 Acceptance per 9-4.32 of Construction Manual  
 74 Certificate of Materials Origin per Const. Manual 9-1.2E  
 75 Satisfactory test reports for Compressive Strength Once per Bridge Pier or 1 per Shift and Mfr. Cert. of Compliance  
 76 Shop Drawing & Satisfactory Test Report  
 77 Shaft Acceptance per Std. Spec. 6-19.3(9) & 6-19.3(10)  
 78 Furnished by Contracting Agency. Requirements per Const. Manual 9-1.3B(1)(V)  
 79 Acceptance per Stnd. Spec. 6-02.3(5)  
 80 Obtain Current Plant Certificate  
 81 Proprietary item, document that specified product is used. (Const. Manual 9-1.3B(1)(IV))  
 82 Supplier's Cert. of Compliance Incorporated Into Bill of Lading per Std. Spec. 9-02.2  
 83 'WSDOT Inspected' Tag/Stamp and an "F" or "D" Stamp for Foreign or Domestic  
 84 Only List Items if Contract States Materials shall Meet WSDOT Std. Specs. See Const. Manual Section 9-1.3C, 9  
 85 Supplier's Cert. of Comp. Incorporated Into Bill of Lading per Std. Spec. 9-02.2 (Visual Eval. Only) or 1 Sample per  
 86 'APPROVED FOR SHIPMENT' Tag/Stamp & Proprietary item  
 87 Supplier's Cert. of Comp. Incorporated Into Bill of Lading per 9-02.2, Sampling and Testing at the Option of Project

88 Supplier's Cert. of Comp. Incorporated Into Bill of Lading per 9-02.2 (Non-Statistical or Visual Evaluation Only)  
 89 Visual Inspection per Std. Spec. 5-04.3(9)D: Sampling and Testing at the Option of Engineer  
 90 Field Inspect to Conform to Std Plans  
 91 Use Specified Product per Contract Special Provisions  
 92 Visual Acceptance per Const. Manual 9-1.4C  
 93 Approval not required per CM 9-4.83(1)(c ). Visual Acceptance still required per CM 9-4.83(3)(b) and CM 9-1.4C  
 94 Mfr. Cert. per 1-06.3 & Satisfactory test report from state materials lab  
 95 Shop Drawings & Catalog Cuts  
 96 1 Sample every other shipment and Supplier's Cert. of Compliance Incorporated Into Bill of Lading per 9-02.2  
 97 Certificate of Compliance per CM 9-1.4E on Analysis Shown on the Bag Label Meeting Contract Requirements a  
 98 Manufacturer's Certificate of Compliance and Supporting Test Results  
 99 Satisfactory Test Report  
 100 Documentation Verifying Material is "As Required" by Mfr.  
 101 Accept. per 9-4.53 of Const. Manual  
 102 Acceptance per Standard Specification 9-33.4 (Mfr. Cert. of Compliance if Equal to or Less than 100 S.Y) or (S  
 103 Mfr's Cert. of Compliance per Std. Spec. 1-06.3 for Each Heat/Lot - and, if Applicable per CM 9-4.24, a Satisfa  
 104 Submittals per Special Provisions  
 105 Acceptance per 9-1.1D of Const. Manual (Optional Approval/Acceptance) or Mfr's Cert. of Compliance per 1-0  
 106 Accept. per 9-4.35 of Const. Manual  
 107 WSDOT "Approved for Shipment" Stamp or Tag and Visual Inspection  
 108 Mill Test Report Number & Sample  
 109 Two 5' Samples per heat & mfr. certificate of compliance  
 110 Submit 2 samples & certified mill test reports each heat  
 111 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Satisfactory WSDOT T125 Te:  
 112 Mfr's Cert. of Compliance, Cert. Mill Test Reports, Stress/Strain Curve each Reel  
 113 Accept. per 9-4.34 of Const. Manual  
 114 Cert. of Compliance per 2-09.3(1)E  
 115 Satisfactory test report from an independent STA program certified laboratory  
 116 Mfr. Cert. of Compliance Indicating WSDOH Approval and Catalog Cut  
 117 Satisfactory test report from State Materials Laboratory  
 118 Document conformance to approved plan  
 119 Mfr. Cert. per Stnd. Spec. 1-06.3 & Cylinder Test/Freeze Thaw Reports per CM 9-4.98  
 120 Satisfactory Proof Load Testing of Assemblies per Standard Specifications, and Contract Special Provisions if ,  
 121 Lumber Grading Stamp or Grading Certificate  
 122 Accept. per 9-4.71 of Const. Manual and "APPROVED FOR SHIPMENT" Stamp and/or Tag.  
 123 Acceptance per Std. Spec. 9-33.4(3) (Satisfactory Test Report from State Materials Lab)  
 124 Proof of NTPEP participation and Compliance  
 125 Visual Acceptance per Const. Manual 9-1.4C and Field cubes per Const. Manual 9-4.81 to Determine Timefr  
 126 Visual inspection for conformance to stnd. spec.  
 127 Accept. per 9-4.21 of Const. Manual  
 128 Catalog Cut per Const. Manual 9-1.4G & Satisfactory Test Report  
 129 Acceptance per 5-04.3(8)A of Contract Special Provisions; Sampling and Testing at the Option of Engineer  
 130 For Qtys Equal to Or Less Than 150 CY- Visual Acceptance per CM 9-1.4C; For Qtys Greater than 150 CY- PE to  
 131 20 Gal or Less: Mfr's Cert. of Compliance. More than 20 Gal: Satisfactory test report from State Materials Labo

132 Testing and inspection per special provisions  
 133 Slump, Temperature, and Entrained Air Tests per Std. Spec. 6-21.3(8)E and Std. Spec. 6-02.3(5)D)  
 134 Accept. per 9-4.81 of Const. Manual depending on Type Used/Specified.  
 135 Visual Acceptance per Const. Manual 9-1.4C and Provide Approved Shop Dwgs If Not Listed in Contract Speci:  
 136 Slump, Temperature, and Entrained Air Tests per Std. Spec. 6-22.3(8)E and Std. Spec. 6-02.3(5)D)  
 137 Per Special Provisions - Visual Inspection, Satisfactory Test Reports, and Mfr's Cert. of Compliance per Std. Sp  
 138 Manufacturer's Certificate of Compliance with Certified Mill Test Reports  
 139 Accept. per Stnd. Spec. 5-05.3(4)A or 6-02.3(5) - Depending on Option Chosen per 8-06.3  
 140 Approved shop drawings and satisfactory field inspection  
 141 Documentation Verifying Material is "As Recommended" by the Hot Poured Joint Sealant Mfr.  
 142 1 Acceptance sample per 2 C.Y. of concrete  
 143 1 Acceptance sample per 1 C.Y. of concrete  
 144 Certified concrete delivery ticket indicating the product and dosage conform to mix design.  
 145 Certified test report & sample  
 146 Acceptance per 9-4.51 of Const. Manual.  
 147 Satisfactory product data submittals & satisfactory field inspection  
 148 Approved shop drawings and satisfactory shop testing & field inspection  
 149 Satisfactory rebound hammer test report  
 150 Proprietary item, document that specified product is used - Mfr. Cert. of Compliance Each Lot per Contract Sp  
 151 Satisfactory test reports on 4" X 8" cylinders each days placement  
 152 Mfr. Certificate of Compliance per Contract Special Provisions  
 153 Submit samples for engineer approval  
 154 Submit mix design per Special Provisions  
 155 Shop Drawings per Stnd. Spec. 6-03.3(7)  
 156 Acceptance per Stnd. Spec 9-02.2  
 157 Submit Manufacturer's Certs. per Special Provisions and Proof Load Tests  
 158 Acceptance per Standard Specification 9-33.4 (Mfr. Cert. of Compliance or Satisfactory Test Report Dependin  
 159 Contact WSDOT Fabrication prior to Field Welding  
 160 Verify gradation testing performed as placed in stockpile. Samples re'qd only when specified source changes.  
 161 Mfr's Cert. of Compliance for Each Truck and Acceptance Testing for Air Content & Compressive Strength per §  
 162 Manufacturer's Certification of Compliance with Certified Mill Test Reports each shipment  
 163 Catalog Cut & Visual Inspection  
 164 Satisfactory Test Report of Induction Loop System per Std. Spec. 8-20.3(14)D (and Special Provisions if Applic  
 165 Acceptance per 9-4.18 of Construction Manual  
 166 Supply Independent Test Results from NTPEP  
 167 Satisfactory (Power Meter or Attenuation) and OTDR Testing of Fiber Optic System per Contract Special Provisi  
 168 See Section 9-1.3C of Construction Manual (Low Risk Materials)  
 169 Accept. per Stnd. Spec. 9-14.4(8)B  
 170 Manufacturer's Certification of Compliance with Supporting Mill Certification  
 171 Submit NCHRP Report 350 or MASH Crash Testing Report and Provide Approved Shop Dwgs If Not Listed in Co  
 172 Acceptance per 9-1.1D of Const. Manual (Optional Approval/Acceptance) or Misc. Cert. of Compliance per CN  
 173 Satisfactory test report for air content & compressive strength performed once per shift  
 174 Accept. per 9-4.100 of Const. Manual (ITS/SOM Materials)  
 175 Certificate of Compliance & Test Results per Contract Special Provisions; 1 Sample Every Other Shipment

176 Toxicity Test Report and Certification per Std. Spec. 9-03.21(1) Dated no older than 90 days  
 177 Toxicity Test Report and Certification per Std. Spec. 9-03.21(1), Satisfactory Gradation Testing per Application  
 178 'WSDOT INSPECTED' Stamp and PEO to review & approve Mfr Certificate of Compliance per CM 9-4.78  
 179 Acceptance per Std. Spec. 5-05.3(4)A  
 180 Submit Sample per Contract Special Provisions  
 181 Acceptance per Std. Spec. 5-01.3(2)  
 182 Sampling and testing at the option of the Project Engineer.  
 183 Visual Acceptance per Const. Manual 9-1.4C Verifying the Number Stamped on the Box and Lid are from a Cur  
 184 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Visual Acceptance per Const  
 185 Certificate of Compliance per Std. Spec. 6-02.3(5)B  
 186 Manufacturer's Cert of Compliance accompanied by a certified test report  
 187 Lumber Grading Stamp (or Grading Certificate) and Certificate of Treatment. (If Aquatic Envir. Std. Spec. 9-09.  
 188 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Acceptance per Std. Spec.  
 189 Acceptance per 9-4.56 of Const. Manual  
 190 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Certificate of Compliance pe  
 191 Acceptance per 9-1.1A of Const. Manual (Small Quantities Acceptance) or 1 Acceptance Sample Required  
 192 Manufacturer's Certification of Compliance with Accompanying Mill Test Reports.  
 193 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or 9-4.46 of Construction Manu  
 194 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Acceptance per 9-4.47 of Co  
 195 Acceptance Testing and Satisfactory Density and Compressive Strengths per Contract Special Provisions.  
 196 Visual Acceptance per Const. Manual 9-1.4C. If Material Sourced Outside DOT Roadway, Toxicity Test Report  
 197 Per Const. Manual 9-4.17 - (Treated: Mfr's Cert. of Compliance with Supporting Mill Certification) (Untreated: \  
 198 Supplier's Certificate of Compliance per Const. Manual 9-1.4E Conforming to Std. Spec. 6-02.3(2)B  
 199 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Mfr's Cert. of Compliance pe  
 200 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or 9-4.36 of Const. Manual  
 201 Acceptance per 9-1.1D of Const. Manual (PE Option for Approval/Acceptance) or Catalog Cut per Const. Man.  
 202 Mfr's Certificate of Compliance per Std. Spec. 9-33.4(4)  
 203 Acceptance per 9-3.7 of Const. Manual depending on Material Type Used  
 204 Visual Acceptancer per Construction Manual 9-1.4C and 9-4.76  
 205 Certified concrete delivery ticket indicating the product and dosage conform to mix design and Specified Color  
 206 Inspection by the Engineer per Contract Special Provisions  
 207 If Mix Testing Required per 5-04.3(8)A, Agg Acceptance per 9-1.1A of Const. Manual (Small Quantities Accepta  
 208 Supplier's Cert of Compliance Incorporated into BOL per Std. Spec. 9-02.2. If Testing Required per 5-04.3(9)C  
 209 (If ASTM F1554 Grade 105 - 'APPROVED FOR SHIPMENT' Tag/Stamp) (If ASTM F1554 Grade 55, 36 or ASTM A30  
 210 Supplier's Cert of Compliance Incorporated into BOL per Std. Spec. 9-02.2. If Testing Required per 5-04.3(9) o  
 211 Acceptance per 5-04.3(8)A of Contract Special Provisions  
 212 WSDOT 'APPROVED FOR SHIPMENT' Tag/Stamp, Satisfactory Completion of QC Testing for Prototype and Prod  
 213 Acceptance per 9-1.1D of Const. Manual (Optional Approval/Acceptance) or per 9-4.49 (Specific Requirement  
 214 Per Const. Manual 9-4.81 - Visual Acceptance for Conformance to the Mix Design and Samples Obtained Once  
 215 Proprietary Manufacturer per Special Provisions - Submit Catalog Cut Per Const. Man. 9-1.4G  
 216 Submit Type 3 Working Drawing Consisting of one Quart Sample from Current Lot, Supporting Product Informa  
 217 Verification that Type 2 Working Dwg has been submitted and approved per Special Provisions. Visual Insp. Of  
 218 Verification that Material is as Specified in Plans as Manufacturer and Model Alternative. Or PE Acceptance De  
 219 Satisfactory Proof Load/Verification Testing of Assemblies per Std. Spec. 6-15.3(8) and Contract Special Provi

1 Acceptance Sample and Test per 800 Tons or One Day's Production per Contract Special Provisions 5-04.3(9)  
 Minimum of 1 Acceptance Test Required for Quantities Less than 800 tons but more than 400 tons. 3 Samples  
 Sampling and Testing for Quantities Less than 400 Tons is at the Option of the Project Engineer Per Special Provisions  
 1 Sample for every 2000 tons Mixture (Non-Statistical Eval) and Supplier's Cert. of Compliance Incorporated Into  
 Mix Acceptance per Std. Spec. 6-02.3(5). Shotcrete Production Testing per Std. Spec. 6-18.3(3) and Contract  
 Track Materials if Contract States that they Must Meet Specific WSDOT Std. Specs. See CM Section 9-1.3C, 9-1.3D  
 Acceptance per 5-04.3(9) of Std. Specifications and Special Provisions. Sampling & Testing Dependent Upon Material  
 If Mix Testing Req'd per 5-04.3(9) of Std. Specifications and Special Provisions. then 1 Aggregate Acceptance Sample  
 Conformance to QA/QC Requirements of Contract Special Provisions  
 For Non Fabrication Inspected Items - Mfr. Certificate of Compliance per Std. Spec. 1-06.3. For Fabrications Inspected  
 If Steel Pole - Acceptance per 9-4.66 of Const. Manual (Fabrication Inspection). If Aluminum Pole - Mfr. Certificate of  
 Satisfactory Proof Load/Verification Testing of Assemblies per Standard Specification 6-17.3(8), and Contract  
 Mfr's Cert. of Compliance & Submit Sample to PEO for Acceptance per Contract Special Provisions  
 Verify Approved Concrete Mix Design. Certificate of Compliance per Std. Spec. 6-02.3(5)B and Cylinders Once  
 1 Acceptance Sample  
 Proprietary Manufacturer per Special Provision, Submit Catalog Cut per CM 9-1.4G  
 Proprietary Source Per Contract Special Provisions - Submit Catalog Cut per CM 9-1.4G  
 Satisfactory Trial Batch Testing of Compressive Strength, Slump Flow and Visual Stability Index. Satisfactory  
 Acceptance per Spec. Prov. and Std. Spec. 9-33.4(3) - Satisfactory Test Report from State Materials Lab, and Mfr.  
 Acceptance per Std. Spec. 9-03.21(1)C1 and Section 9-4.11 of Construction Manual  
 Chemical and Physical Test Report per Contract Special Provisions  
 Mfr. Cert. of Compliance certifying Material Meets Requirements of AREMA Vol 1, Ch.30, Part 3, Lumber Grade  
 Mfr. Cert. of Compliance, Chemical, and Physical Test Reports.  
 Mfr. Certification of Compliance per Std. Spec. 1-06.3 and Mill Certifications  
 Approval and Acceptance Determination Required by Delegated Railroad Materials SME  
 Sampling, Testing, and Certification that Each Ballast Type Meets the Req's of the Special Provisions. Acceptance  
 Proprietary Manufacturer and Product Series per Special Provisions, Submit Catalog Cut per CM 9-1.4G  
 Mfr. Certificate of Compliance per Std. Spec. 1-06.3 accompanied by documentation from an independent test  
 Per Contract Special Provisions - Two Supplier's Samples each Day Material is Delivered to WSDOT Contract, and  
 Acceptance of Test Panel, Continuous Production Sampling and Testing, Confirmation Samples, and Certs. of  
 Mix Design Approval Required. Testing per Contract Special Provisions  
 Proprietary Manufacturer per Special Provisions - Supplier's Certificate of Compliance Stating System is NCHRP  
 'APPROVED FOR SHIPMENT' Tag/Stamp, Including Satisfactory Inspection Requirements per Special Provision  
 Acceptance per 9-4.24 of Construction Manual Depending Upon "Materials Fabrication Inspected", "Fabrication  
 Acceptance based on Submittal of the Product's Material Data Sheet Documenting Suitability for this use.  
 Project Engineer to Consult with State Geotechnical Engineer for Approval and Acceptance Determination.  
 Proprietary items, document that specified products are used. (Const. Manual 9-1.3B(1)(IV)), Acceptance Determination  
 For Bid Item & Sub-Item Acceptance, Special Inspection Requirements per Contract Specials and Plans to Take  
 For Concrete Placed on Sheets 191-223, Special Inspection Required per Contract Specials and Plans. Where  
 For Bid Item & Sub-Item Acceptance, Special Inspection Requirements per Contract Specials and Plans to Take  
 For Acceptance of Sub-Items, Special Inspection May be Required per Contract Specials and Plans. Where Special  
 Supplier's Certificate of Compliance per CM 9-1.4E, OR - if Required per Spec. Prov. - a Mfr. Certificate of Compliance  
 Catalog Cut per CM 9-1.4G, OR - if Required per Spec. Prov. - a Mfr. Certificate of Compliance per Std. Spec.  
 Proprietary System, document that specified system is Used. (Construction Manual 9-1.3B(1)(IV))

315 Proprietary item, document that specified product is used. (Const. Manual 9-1.3B(1)(IV)) \*\*\*ACCEPTANCE by  
316 All quantities of geotextile for temporary retaining walls shall be Accepted by a Manufacturer's Certificate of C  
317 If Contractor Supplied, Visual Acceptance per Const. Manual 9-1.4C and Provide Approved Shop Dwgs If Not L  
318 Depending on Type of Modified Concrete Used, See Bid Item "Modified Conc. Overlay" for Repair Material.  
319 Field Inspect the condition of barrier & Cert of Compliance from the Barrier Installer that the barrier meets WSI  
320 Project Engineer Acceptance Determination Req'd. Obtain Product from Epoxy Resin Mfr. and Verify Compatibi  
321 Project Engineer to Expand Bid-Item Sub-Components and Establish Acceptance Requirements  
322 Manufacturer's Cert. of Compliances certifying the ties meet requirements of AREMA Vol. 1, Chapter 30, Part 3  
323 Satisfactory Test Reports for compressive strength at a frequency of no less than one set of three 2-inch grout





er Project and Supplier's Cert. of Compliance Incorporated Into Bill of Lading per 9-02.2 (Statistically Evaluated Pr

› Determine Gradation Meets Std. Specs. & Contract Spec. Provisions; For Non-Structural Applications-Visual Acc



ance) or 1 Acceptance Sample per 2000 Tons. (If No Mix Testing Req'd, Sampling and Testing is at Option of PE)

luction Castings, and Engineer's Acceptance of Completed Installation per Contract Special Provisions

t Special Provisions - Including Test Panels, Satisfactory Cores, and Certification of Surface Coloration

cate of Compliance per Stnd. Spec. 1-06.3. Note Additional Proprietary Materials and Approval Documentation Re

Production Batch Testing of Slump Flow and Visual Stability Index per Special Provisions. Additional Req's per S.S.

esting laboratory confirming that the joint sealing system has satisfactorily completed the cyclic load test per Spec  
and Supplier's Cert. of Compliance Incorporated Into Bill of Lading per 9-02.2 and Certification of Shipment and SI

RP 350 Test Level 3 Compliant AND Satisfactory Testing of VAB as a Component of the Reversible Controller System

etermined by Satisfactory Field Test Results. Additional Acceptance may be required per 9-4.100 of Const. Manual (e  
te Precedence, However, where Special Inspection is not required, Typical WSDOT Acceptance Shall be Followed (e  
Special Inspection is not required, Typical WSDOT Acceptance Shall be Followed as Noted (Acceptance per S.S. (e  
te Precedence, However, where Special Inspection is not required, Typical WSDOT Acceptance Shall be Followed (e

pliance per Stnd. Spec. 1-06.3 / Contract Specific Letter from Supplier Stating System is MUTCD Compliant.

/ Manufacturer's Certificate of Compliance per Contract Special Provisions Incl. Copy of FHWA Eligibility/Accepta  
.isted in Contract Special Provisions. If Owner/Agency Supplied, Requirements per Const. Manual 9-1.3B(1)(V)

cubes from each grout plant each day of operation or per every 10 micropiles, whichever occurs more frequently.













Requirements per Special Provisions

as Noted (Acceptance per S.S. 6-02.3(5))

nce Letter and Documentation/Statement